


# TREX FENCING FOR TALL APPLICATIONS



# TREX FENCING FOR COMMERCIAL APPLICATIONS (HEIGHTS OVER 8' TALL)

Trex Fencing products are manufactured to provide flexibility in design. The system is adaptable for elevations higher than typically used in residential construction. The products offer long-term low-maintenance benefits and are covered by a manufacturer's limited 10-year warranty.

- Heights up to 12' tall
- Mid-rails as needed
- Steel post stiffeners
- 3 Colors Available
- Fully sight-obscuring
- Same look on both sides
- Composite and aluminum
- Adaptable (stick-built)
- Less Expensive than CMU
- Sound abatement properties



Architectural drawings and master plan sheets available at [TrexFencingFDS.com/resources/architects-engineers/](https://TrexFencingFDS.com/resources/architects-engineers/)

# A Selection of TREX FENCING ENCLOSURES for Heights Over 8' Tall



OSU - Columbus OH



LSU - Baton Rouge



AT&T - Louisville KY



City Hall - Pooler GA



Marion HS - West Memphis AR




Veterans Hospital - Grand Junction CO




Riverwoods - Atlanta GA



Utility Enclosure - Monte Rio CA



Columbus OH



Roseville CA

## Examples of tall TREX FENCING for COMMERCIAL PROPERTY PERIMETERS



## INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



3.5"x3.5"x3/16" Galvanized  
Steel Post Stiffeners set in  
concrete



5"x5" Composite Post sleeve  
over Steel Post Stiffener

Steel Post Stiffeners are used with Trex® Composite Posts

Because of Trex's 5/8" wall thickness, it is not required for the internal steel post to extend fully to the top of the Trex post.

# INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Fence Brackets are used for rail mounting



Brackets are attached to the Composite Posts at Rail Points



*Glass-filled Nylon, Heavy Duty Fence Brackets*

# INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Rails and Pickets are cut to length



Trex materials are cut with miter and circular saws (non-ferrous blade is used for aluminum rails)



*Trex Fencing panels are assembled in field*

## INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Rails are placed temporarily for accurate measurements



Fence is built from the bottom up using intermediate aluminum rails with composite covers



Pickets are interlocked and the top rail is placed over the pickets to ensure the fence is secure

Fence is constructed in an assembly line fashion





**CONTACT US**  
**FDS Fence Distributors**  
**877-700-8739**  
**FDS@TrexFencing.com**  
**TrexFencingFDS.com**